Casavant Opus:	2556 Ca	ontract Specification	on Date:	February 17, 1959
Location:	First Presbyterian C	hurch		-
	Mineola, New York			
Installation Date:	October 1959			
Key Action:	Electro-pneumatic	Stop Action:	Electro-	pneumatic (Pitman)
Console / Keydesk:	3 manuals	Fixed in place	With r	olltop cover
Console Location:	Detached on the left	side in the chance	el	
Stop Controls:	Drawknobs Arra	ingement: Vertic	al rows of	n angled jambs
Manual Compass:	61 notes Peda	l Compass: 32 n	otes	
Expressive Divisions:	Swell			
Tonal Director:	Lawrence Phelps			
Case / Façade:	Divided on two side	es of the chancel w	ith the Gr	eat and Positiv
2	divisions cantilevered	ed from the rear ch	nancel wal	11.

# Specification

		Specification		
	Stop		Feet	Pipes
		Great Organ (II)		
1.	Quintaden		16	61
2.	Principal		8	61
3.	Rohrflöte		8	61
4.	Octave		4	61
5.	Spitzflöte		4	61
6.	Blockflöte		2	61
7.	Mixture IV		1-1/3	244
	Chimes	(existing)		
		Swell Organ (III)		
8.	Salicional		8	61
9.	Voix céleste	(GG)	8	54
10.	Flûte Ouverte	(initially Nachthorn 8')	8	61
11.	Principal	· · · ·	4	61
12.	Flûte à cheminée		4	61
13.	Octavin		2	61
14.	Fourniture IV		1	244
15.	Basson	(Half-length)	16	61
16.	Trompette		8	61
17.	Hautbois		4	61
	Tremulant			
		<b>Positiv Organ</b> (I)		

## **Positiv Organ** (I)

		8 ()		
18.	Gedackt		8	61
19.	Spitzflöte	(initially Flauto Dolce, 8')	8	61
20.	Spitzprinzipal	(initially Unda Maris-GG, 8')	4	61
21.	Koppelflöte		4	61
22.	Gemshorn		2	61
23.	Quintflöte		1-1/3	61
24.	Sifflöte		1	61

		Positiv Organ (continued)		
25.	Sesquialtera II		2-2/3	122
26.	Cymbel III		1/2	183
27.	Krummhorn		8	61
		Pedal Organ		
28.	Principal		16	32
29.	Bourdon		16	32
30.	Quintaden	(from No. 1)	16	
31.	Octave		8	32
32.	Gedackt	(extension of No. 29)	8	12
33.	Choral Bass		4	32
34.	Rauschpfeife II		2-2/3	64
35.	Posaune		16	32
36.	Basson	(from No. 15)	16	
37.	Posaune	(from No. 35)	8	12
38.	Basson	(from No. 15)	8	
39.	Basson	(from No. 15)	4	

# Couplers

8
8
8
8
8
8

### **Combination Action**

Type: Capture system

Department	Thumb	Toe
Great	4	
Swell	6	
Positiv	5	
Pedal		4
General	6	6
General Cancel		
Adjuster		

## **Reversible Pistons**

Great to Pedal	Thumb	&	Toe
Swell to Pedal	Thumb	&	Toe
Positiv to Pedal	Thumb	&	Toe
Full Organ	Thumb	&	Toe

#### **Balanced Pedals**

1 AAAA y DAD				
Division	Registers	Stops	Ranks	Pipes
Great Organ	7	7	10	610
Swell Organ	10	10	13	786
Positiv Organ	10	10	13	793
Pedal Organ	12	6	7	248
Total	39	33	43	2437

### Swell Expression Crescendo on all stops and couplers

Analysis<sup>1</sup>

### Notes

The information found in this document comes from the original contract located in the archives of Casavant Frères in Saint-Hyacinthe, Québec.

Stops 10, 19 and 20 were changed during the course of building the organ from the name given in italics to the one listed in the specification. Stop No. 37 was originally called Trompette 8' but was also changed to Posaune to agree with the stop from which it is extended.



Photograph: Casavant Frères Archives

<sup>&</sup>lt;sup>1</sup> The term "Registers" refers to the total number of speaking stops including duplexed and extended stops but excluding couplers, tremulants and controls. "Stops" refers to the total number of independent or straight stops excluding duplexed and extended stops as well as couplers and controls.

The information contained herein was researched by Stanley R. Scheer, Vice President Emeritus-Casavant Frères – April 2007