Casavant Opus: Location:	_ v	58
Installation Date:	May 1959	
Key Action:	Electro-pneumatic Stop Action: Electro-pneumatic (Pitr	nan)
Console / Keydesk:	3 manuals Fixed in place With rolltop cover	
Console Location:	Detached	
Stop Controls:		ıs
Manual Compass:	61 notes Pedal Compass: 32 notes	
Expressive Divisions: Tonal Director:	Swell and Choir	
Case / Façade:	Lawrence Phelps The organ is located at the front of the church with no coscawa	ork or
Case / Façaae.	The organ is located at the front of the church with no casewovisible pipework.	лк от
	Specification	
Stop	Feet	Pipes
	Great Organ (II)	
1. Quintaton	16	68
2. Diapason	8	68
3. Harmonic F		68
4. Gemshorn	8	68
5. Octave	4	68
6. Chimney Fl		68
7. Twelfth	2-2/3	61
8. Fifteenth	2	61

Great Unison Off
Great 4'
Chimes (prepared in the console)

Swell Organ (III)

244

*	10.	Flute Conique		16	(68)
	11.	Violin Diapason		8	68
	12.	Rohrflöte		8	68
	13.	Viola da Gamba		8	68
	14.	Voix Céleste	(GG)	8	61
	15.	Principal		4	68
	16.	Flauto Traverso		4	68
	17.	Flautino		2	61
	18.	Plein Jeu III			183
	19.	Contra Fagotto		16	68
	20.	Trompette		8	68

^{*} Stops marked thus are prepared in the console only for future addition

9. Mixture IV

-

¹ Prepared in the original contract. Added in 1967.

			Swell Organ (continued)		
	21.	Oboe	(French Hautbois)	8	68
*	22.	Vox Humana		8	(68)
	23.	Clairon		4	68
		Tremulant			
		Swell 16' Swell Unison Off			
		Swell 4'			
		Swell 4			
			Choir Organ (I)		
	24.	Viola ²	3 ()	8	68
	25.	Cor de nuit		8	68
	26.	Spitzflöte		8	68
	27.	Spitzflöte Céleste	(TC)	8	56
	28.	Koppelflöte		4	68
	29.	Nazard		2-2/3	61
	30.	Blockflöte		2	61
	31.	Tierce		1-3/5	61
	32.	Cymbel III ³		0	183
	33.	Clarinet		8	68
		Tremulant Choir 16'			
		Choir Unison Off			
		Choir 4'			
		Harp	(prepared in the console)		
de	2.4	D ' ' 1	Antiphonal Organ ⁴	0	(61)
*	34.	Principal Controller		8	(61)
*	35. 36.	Gedeckt Dulciana		8 8	(61)
*	30. 37.	Fugara		4	(61) (61)
*	38.	Mixture III		1-1/3	(183)
*	39.	Trompette		8	(61)
	37.	Trompette		O	(01)
			Antiphonal Pedal		
*	40.	Gedeckt	(extension of No. 35)	16	(12)
*	41.	Gedeckt	(from No. 35)	8	

Stops marked thus are prepared in the console only for future addition

² Prepared in the original contract. Added in 1964.
³ Prepared in the original contract. Added in 1963.
⁴ Playable from the Great manual.

Pedal Organ 42. Contra Bass 16 32 (metal) 43. Bourdon 16 32 44. Quintaton (from No. 1) 16 --45. Flute Conique (from No. 10) 16 --46. Principal 8 32 47. Bass Flute (extension of No. 43) 8 12 (from No. 12) 48. Rohrflöte 8 --49. Super Octave (extension of No. 46) 4 12 50. Nachthorn 4 32 51. Mixture II 64 52. Bombarde 32 16 53. Fagotto (from No. 19) 16 54. Trompette (extension of No. 52) 8 12 55. Fagotto (from No. 19) 8 --56. Clairon (extension of No. 54) 12 4 Chimes (Great Organ)

* Stops marked thus are prepared in the console only for future addition

Couplers

Great to Pedal		8	4
Swell to Pedal		8	4
Choir to Pedal		8	4
Antiphonal to Pedal		8	
Swell to Great	16	8	4
Choir to Great	16	8	4
Antiphonal to Great	16	8	4
Swell to Choir	16	8	4

Combination Action

Type: Capture system

Department	Thumb	Toe
Great	6	
Swell	6	
Choir	6	
Antiphonal	3	
Pedal		6
General	7	7
General Cancel		
Adjuster		

Reversible Pistons

Great to Pedal	Thumb	&	Toe
Swell to Pedal	Thumb		
Choir to Pedal	Thumb		
Antiphonal to Pedal	Thumb		
Swell to Great	Thumb		
Choir to Great	Thumb		
Swell to Choir	Thumb		
Full Organ	Thumb	&	Toe

Balanced Pedals

Swell Expression Choir Expression Crescendo on all stops and couplers

Analysis ⁵

Division	Registers	Stops	Ranks	Pipes
Great Organ	9	9	12	744
Swell Organ	12	12	14	917
Choir Organ	10	10	12	762
Pedal Organ	14	6	7	272
Total	45	37	45	2695

Prepared Stops

Total	56	45	55	3331
Antiphonal	8	6	8	500
Pedal Organ	1	0	0	0
Swell Organ	2	2	2	136

Notes ⁶

The information found in this document comes from the original contract located in the archives of Casavant Frères in Saint-Hyacinthe, Québec.

⁵ The term "Registers" refers to the total number of speaking stops including duplexed and extended stops but excluding couplers, tremulants and controls. "Stops" refers to the total number of independent or straight stops excluding duplexed and extended stops as well as couplers and controls.

⁶ The information contained herein was researched by Stanley R. Scheer, Vice President Emeritus-Casavant Frères – May 29, 2007