Casavant Opus: 2596 Contract Specification Date: June 15, 1959
Location: Murray Street Baptist Church
Peterborough, Ontario

Installation Date: July 1960

Key Action: Electro-pneumatic Stop Action: Electro-pneumatic (Pitman)
Console / Keydesk: 3 manuals Fixed in place With rolltop cover

Console Location: Detached

Swell 4'

Stop Controls: Drawknobs Arrangement: Vertical rows on angled jambs

Manual Compass: 61 notes Pedal Compass: 32 notes

Expressive Divisions: Swell and Choir Tonal Director: Lawrence Phelps

Case / Façade: The organ is located in the chancel inside the casework from the

previous organ.

Specification

	Stop		Feet	Pipes
		Great Organ (II)		
1.	Quintaton	_ , , ,	16	61
2.	Diapason		8	61
3.	Gedeckt		8	61
4.	Octave		4	61
5.	Waldflöte		4	61
6.	Blockflöte		2	61
7.	Fourniture IV			244
	Great 4'			
	Chimes	(Choir Organ)		
8.	Harmonic Trumpet	(Choir Organ)		
		Swell Organ (III)		
9.	Spitzgamba		8	68
10.	Viole Céleste	(GG)	8	61
11.	Rohrflöte		8	68
12.	Prestant		4	68
13.	Hohlflöte		4	68
14.	Principal		2	61
15.	Plein Jeu III			183
16.	Fagotto		16	68
17.	Trompette		8	68
18.	Hautbois		8	68
	Tremulant			
	Swell 16'			

Choir O	rgan ((\mathbf{I})
---------	--------	----------------

		31311 (1)		
19.	Cor de nuit		8	61
20.	Spitzflöte		8	61
21.	Koppelflöte		4	61
22.	Nazard		2-2/3	61
23.	Octavin		2	61
24.	Tierce		1-3/5	61
25.	Krummhorn		8	61
	Tremulant			
	Choir 16'			
	Choir 4'			
26.	Harmonic Trumpet	(6" pressure)	8	61
	Chimes	(existing 25 note set with new action)		
		Pedal Organ		
27.	Contrabass	(metal)	16	32
28.	Bourdon		16	32
29.	Quintaton	(from No. 1)	16	
30.	Principal	•	8	32
31.	Stopped Flute	(extension of No. 28)	8	12
32.	Choral Bass	(extension of No. 30)	4	12
33.	Bombarde		16	32
34.	Fagotto	(from No. 16)	16	
35.	Bombarde	(extension of No. 33)	8	12
55.	Domourae	(emension of 1400 ee)	U	

Couplers

Great to Pedal		8	
Swell to Pedal		8	
Choir to Pedal		8	
Swell to Great	16	8	4
Choir to Great	16	8	4
Swell to Choir	16	8	4

Combination Action

Type: Capture system

Department	Thumb	Toe
Great *	5	
Swell	5	
Choir	5	
Pedal	5	
General	6	6
General Cancel		
Adjuster		

^{*} Great combinations to Pedal combinations On-Off piston in key cheek

Reversible Pistons

Great to Pedal	Thumb	&	Toe
Swell to Pedal	Thumb		
Choir to Pedal	Thumb		
Swell to Great	Thumb		
Choir to Great	Thumb		
Swell to Choir	Thumb		
Full Organ	Thumb	&	Toe

Balanced Pedals

Swell Expression Choir Expression Crescendo on all stops and couplers

Analysis ¹

Division	Registers	Stops	Ranks	Pipes
Great Organ	8	7	10	610
Swell Organ	10	10	12	781
Choir Organ	8	8	8	488
Pedal Organ	10	4	4	176
Total	36	29	34	2055

Notes

The information found in this document comes from the original contract located in the archives of Casavant Frères in Saint-Hyacinthe, Québec.

The information contained herein was researched by Stanley R. Scheer, Vice President Emeritus-Casavant Frères – April 2007

¹ The term "Registers" refers to the total number of speaking stops including duplexed and extended stops but excluding couplers, tremulants and controls. "Stops" refers to the total number of independent or straight stops excluding duplexed and extended stops as well as couplers and controls.