Casavant Opus: 2604 Contract Specification Date: March 19, 1959

Location: Christ Episcopal Church

Corning, New York

Installation Date: September 1960

Key Action: Electro-pneumatic Stop Action: Electro-pneumatic (Pitman)
Console / Keydesk: 3 manuals Fixed in place With rolltop cover

Console Location: Detached

Stop Controls: Drawknobs Arrangement: Vertical rows on angled jambs

Manual Compass: 61 notes Pedal Compass: 32 notes

Expressive Divisions: Swell and Choir Tonal Director: Lawrence Phelps

Case / Façade: Organ located in one position on the left side of the chancel with

pipes of the Great, Positiv and Pedal displayed in a functional design.

			Specification		
		Stop		Feet	Pipes
			Great Organ (II)		
	1.	Quintaton		16	61
	2.	Principal		8	61
	3.	Stillflöte		8	61
	4.	Quintaton	(extension of No. 1)	8	12
	5.	Octave		4	61
	6.	Koppelflöte		4	61
	7.	Waldflöte		2	61
	8.	Fourniture IV		1-1/3	244
	9.	Trompette	(extension of No. 45)	8	29
		Great Unison Off			
		Chimes	(Choir Organ)		
			Swell Organ (III)		
*	10.	Viole de Gambe		8	61
*	11.	Voix Céleste	(CC)	8	61
*	12.	Holzgedeckt		8	61
*	13.	Geigen Octav		4	61
*	14.	Flauto Traverso		4	61
	15.	Fifteenth		2	61
	16.	Plein Jeu IV		1	244
	17.	Fagot	(half length resonators)	16	61
	18.	Trompette		8	61
	19.	Hautbois		4	61
		Tremulant			
		Swell 16'			
		Swell Unison Off			
		Swell 4'			

^{*} Stops marked thus are from the existing organ.

			Choir Organ (I)		
	20.	Rohrflöte	G . , ,	8	61
	21.	Erzähler		8	61
	22.	Unda Maris	(GG)	8	54
	23.	Spitzflöte		4	61
	24.	Nazard		2-2/3	61
	25.	Gemshorn		2	61
	26.	Tierce		1-3/5	61
	27.	Cor Anglais		8	61
		Tremulant		_	
	28.	Trompette	(Great Organ)	8	
		Choir 16'			
		Choir Unison Off			
		Choir 4'			
		Chimes			
			Positiv Organ (I)		
	29.	Singend Gedeckt	3 ()	8	56
	30.	Nachthorn		4	56
	31.	Kleinprinzipal		2	56
	32.	Kleinnasat		1-1/3	56
	33.	Cymbal II		1/4	112
			Pedal Organ		
*	34.	Contrabass	(wood)	16	32
*	35.	Bourdon	(enclosed in the Choir Organ)	16	32
	36.	Quintaton	(from No. 1)	16	
*	37.	Principal	,	8	32
*	38.	Stopped Flute	(extension of No. 35)	8	12
*	39.	Cello	(extension of No. 34)	8	12
	40.	Quintaton	(from No. 1)	8	
	41.	Choralbass		4	32
	42.	Quartane II		2-2/3	64
	43.	Bombarde		16	32
	44.	Fagot	(from No. 17)	16	
	45.	Trompette	(extension of No. 43)	8	12
	46.	Hautbois	(from No. 19)	4	
		Chimes	(Choir Organ)		

^{*} Stops marked thus are from the existing organ.

Couplers

Great to Pedal		8	
Swell to Pedal		8	4
Choir to Pedal		8	4
Positiv to Pedal		8	
Swell to Great		8	4
Choir to Great		8	
Positiv to Great	16	8	
Positiv to Swell		8	
Swell to Choir	16	8	4

Combination Action

Type: Capture system

Department	Thumb	Toe
Great	5	
Swell	5	
Choir-Positiv	5	
Pedal	5	5
General	6	6
General Cancel		
Adjuster		

Reversible Pistons

Great to Pedal	Thumb	&	Toe
Swell to Pedal	Thumb		
Choir to Pedal	Thumb		
Positiv to Pedal	Thumb		
Positiv to Great	Thumb		
Positiv to Swell	Thumb		
Full Organ	Thumb	&	Toe

Thumb & Toe

Keycheek Buttons

Choir ON Positiv ON

Balanced Pedals

Swell Expression Choir Expression Crescendo on all stops and couplers

Analysis ¹

Division	Registers	Stops	Ranks	Pipes
Great Organ	9	7	10	651
Swell Organ	10	10	13	793
Choir Organ	9	8	8	481
Positiv Organ	5	5	6	336
Pedal Organ	13	6	7	260
Total	46	36	44	2521

Notes ²

The information found in this document comes from the original contract located in the archives of Casavant Frères in Saint-Hyacinthe, Québec.

¹ The term "Registers" refers to the total number of speaking stops including duplexed and extended stops but excluding couplers, tremulants and controls. "Stops" refers to the total number of independent or straight stops excluding duplexed and extended stops as well as couplers and controls.

 $^{^2\,}$ The information contained herein was researched by Stanley R. Scheer, Vice President Emeritus-Casavant Frères – June 6, 2007